

- Vibratory Road Roller





* Specification

	Model	JVR-700	
	Net Weight (kg)	612	
	Dimensions H*W*L (mm)	1060*678*2350	
	Height of Handle Stands (mm)	1315	
	Front & Rear Roller (Dia. mm)	355*625	
	Axis to Axis (mm)	520	
	Speed (km/hr)	0~4.0	
	Vibration Frequency (cpm)	3000	
	Centrifuga <mark>l F</mark> orce (kg)	1400	
	Climbing Capacity	25°	
	Compaction Force	Equivalent to 8~10 ton Road Roller	
A	Oil Tank Capacity (Litre)	T 22	
	Water Tank Capacity (Litre)	30	
	Engine 2	Honda GX270 (as required)	
	Engine Power	9.0 hp (as required)	
	Fuel	Gasoline (as required)	



* Specification

	Model	JVR-700T	
	Net Weight (kg)	634	
	Dimensions H*W*L (mm)	1060*678*2350	
	Height of Handle Stands (mm)	1315	
	Front & Rear Roller (Dia. mm)	355*625	
	Axis to Axis (mm)	520	
	Speed (km/hr)	0~5.0	
	Vibration Frequency (cpm)	3000	
	Centrifugal Force (kg)	1400	
	Climbing Capacity	25°	
	Compaction Force	Equivalent to 8~10 ton Road Roller	
	Oil Tank Ca <mark>pa</mark> city (Liter)	22	
	Water Tank Capacity (Liter)	30	
A	Engine	Robin DY-41DS (Electric Start)	
	Engine Power	8.5 hp (as required)	
	Fuel	Diesel (as required)	
C 2 4 2 4			