

-Electric Cutting Machines

NUOVA **BATTIPAV**™

-SUPER PRO 900




Art. 3090

Super professional tile cutters for diagonal and straight cuts on single-double fired ceramic and gres. Carriage with nine ball-bearings.

Diagonal fence included.

- Cutting length up to 900 mm
- Size tile for diagonal cutting: 63 x 63 cm

-SUPER PRO 600



Art. 3060

Super professional tile cutters for diagonal and straight cuts on single-double fired ceramic and gres. Carriage with nine ball-bearings.

Diagonal fence included.

- Cutting length up to 600 mm
- Size tile for diagonal cutting: 42 x 42 cm

-SUPER PRO 750



Art. 3075

Super professional tile cutters for diagonal and straight cuts on single-double fired ceramic and gres.
Carriage with nine ball-bearings.
Diagonal fence included.

- Cutting length up to 750 mm
- Size tile for diagonal cutting: 52 x 52 cm

-TILE CUTTER X-PRO 40



Art. 5400

Super professional tile cutters "TO PULL" for diagonal and straight cuts on single-double fired ceramic and porcelain stoneware tiles.

Equipped with:

- carriage with adjustable ball-bearing
- goniometric square
- side extensions for big size of tiles.
- Cutting length up to 420 mm
- Size tile for diagonal cutting: 30 x 30 cm

-EXPERT 700



Art. 9700

Stone saw ideal for the building sector suitable for cutting bricks, poroton blocks, marble blocks and all the different kind of materials for the building sector.

Equipped with:

- Three phases engine 400V 50Hz 5,5Hp/4Kw with thermal and amperometrical protection
- Switch with release coil and overheat protection with manual reset
- Adjustable cutting head
- Sliding working table
- Kit wheels
- Adjustable legs
- Adjustable goniometer fence
- Water recycling pump type S3

Max cutting length: 550 mm

Max cutting depth at 90°: 270 mm

Max cutting dept with 2 RUNS: 340 mm

Water tank capacity (min/max): 21/32,5 liters

Water cooled

Disk Ø700 mm not included.

-ELITE 80S



Art. 9001

Masonry saw ideal for the building sector suitable for straight and 45° angle cuts of bricks, stones, concrete-blocks, granite, marble and natural stones.

Equipped with:

- Single phase engine 230V 50Hz 3Hp/2,2 Kw with thermal and amperometrical protection
- Switch with release coil.
- Overheat protection with manual reset
- Sliding working table and tilting cutting head.
- Laser instrument
- Kit wheels
- Adjustable legs
- Adjustable goniometer fence
- Water recycling pump type S2

Max cutting length: 80 cm

Max cutting depth at 90°: 11 cm

Max cutting depth at 45°: 8 cm

Water tank capacity (min/max): 19/25 liters

Water cooled

Disk Ø 350 mm not included

Three phase engine available upon request

-JOLLY MAX S 300



Art. 040S

Machine for straight and 45° angle cuts on marble, klinker and stones, equipped with:

- Single-phase motor 230V-50Hz. 2,3 KW
- Working table with sliding carriage
- Switch with release coil
- Diamond blade Ø 300 turbo
- Adjustable fence for diagonal cuts
- Stand

Cutting capacity up to 47 cm.

Max cutting thickness: 8 cm.

Max diagonal cut on size tile: 33 x 33 cm.

Max 45° angle cut on size tile: 40 x 40 cm.

Water cooled

-BASIC PLUS 60



Art. 2060

Tile cutters for diagonal and straight cuts on single-double fired ceramic and gres.

Diagonal fence included.

- Cutting length up to 600 mm
- Size tile for diagonal cutting: 42 x 42 cm

ALFANOOS

-TILE CUTTER X-PRO 60



Art. 5600

Super professional tile cutters "TO PULL" for diagonal and straight cuts on single-double fired ceramic and porcelain stoneware tiles.

Equipped with:

- carriage with adjustable ball-bearing
- goniometric square
- side extensions for big size of tiles.
- Cutting length up to 600 mm
- Size tile for diagonal cutting: 42 x 42 cm

ALFANOOS